

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	176	"703"/\$.ccls. mold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/12/19 11:44
S2	196	"703"/\$.ccls. mold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/12/19 11:45
S3	4	"703"/\$.ccls. (mold same risk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/12/19 11:45
S4	5	"703"/\$.ccls. (mold same growth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/12/19 11:47
S5	15512	(mold same growth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/12/19 11:47
S6	946	(mold same growth) simulat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/12/19 11:47
S7	69	((mold with growth) same simulat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/12/19 11:48
S8	11	((mold with growth) same simulat\$4) building	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/22 10:25

EAST Search History

S9	1337	"436"/\$.ccls. mold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/12/19 17:32
S10	50	"436"/\$.ccls. (mold with growth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/12/19 17:32
S11	8	"436"/\$.ccls. (mold with growth) risk	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/12/19 17:33
S12	3759	(mold adj2 growth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/22 10:25
S13	296	(mold adj2 growth) simulat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/22 10:25
S14	47	(mold adj2 growth) simulat\$4 building	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/22 13:29
S15	1141	(risk same asbestos)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/22 13:30
S16	5	(risk same asbestos) calculator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/22 13:32

EAST Search History

S17	445	(risk same asbestos) calculat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/22 13:32
S18	2	(risk same asbestos same score) calculat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/22 13:33
S19	3	(risk same mold same score) calculat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/22 13:34
S20	3	(risk same mould same score) calculat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/22 13:35
S21	8	(risk same mold same inspect\$4) calculat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/22 13:51
S22	1179	(mold same inspect\$4) calculat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/22 13:51
S23	58	(mold same grow\$4 same inspect\$4) calculat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/22 13:52
S24	31	(mold same grow\$4 same inspect\$4) building	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/22 13:54

EAST Search History

S25	2	"6377181".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/22 13:54
S26	26	("4197866" "4227190" "4259633" "4264902" "4598273" "4892113" "4965554" "5008652" "5081422" "5082173" "5106339" "5176316" "5337957" "5546009" "5730024" "5748092" "5818340" "5881951" "5886636" "6104298").PN. OR ("6377181"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/22 13:59
S27	1	"20030187579"	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/22 17:08
S31	137	(computer same network) (inspection adj2 form)	US-PGPUB; USPAT; USOCR	AND	ON	2007/01/23 11:47
S32	42	(computer same network) (inspection adj2 form) building	US-PGPUB; USPAT; USOCR	AND	ON	2007/01/23 14:15
S33	5	(computer same network) (inspection adj2 form) mold	US-PGPUB; USPAT; USOCR	AND	ON	2007/01/23 14:40
S34	83	(computer same network) (inspection same form) mold	US-PGPUB; USPAT; USOCR	AND	ON	2007/01/23 14:41
S35	32	(computer same network) (inspection same form) mold building	US-PGPUB; USPAT; USOCR	AND	ON	2007/01/24 09:53
S36	128	(home with inspection) (computer with network)	US-PGPUB; USPAT; USOCR	AND	ON	2007/01/24 09:54
S37	10	(home with inspection) (computer with network) mold	US-PGPUB; USPAT; USOCR	AND	ON	2007/01/24 09:56
S38	1	"6235176".pn.	US-PGPUB; USPAT; USOCR	AND	ON	2007/01/24 09:57
S39	1	"6283759".pn.	US-PGPUB; USPAT; USOCR	AND	ON	2007/01/24 09:58
S40	1	"20010025267"	US-PGPUB; USPAT; USOCR	AND	ON	2007/01/24 09:58

EAST Search History

S41	1	"20020077951"	US-PGPUB; USPAT; USOCR	AND	ON	2007/01/24 09:59
S42	1	"20030069716"	US-PGPUB; USPAT; USOCR	AND	ON	2007/01/24 10:01
S43	1	"20030160818"	US-PGPUB; USPAT; USOCR	AND	ON	2007/01/24 10:02
S44	1	"20030171957"	US-PGPUB; USPAT; USOCR	AND	ON	2007/01/24 10:02
S45	64	(mold with assessment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/01/24 10:32
S46	11	(mold with assessment) score	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/01/24 11:21
S47	26	mold roof\$4 hvac plumbing foundation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/01/25 21:04
S48	2	"20030055669"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/01/25 21:05

Kimberly.Thornewell@gmail.com | [My Account](#) | [Sign out](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

risk asthma mold calculate probability

Search

[Advanced Search](#)
[Preferences](#)**Web**Results 11 - 20 of about 109,000 for risk asthma mold calculate probability. (0.11 seconds)**Lung hyperpermeability and asthma prevalence in schoolchildren ...**

The **probability** of developing **asthma** or of being positive in the EIB test ... The hypothesis that lung hyperpermeability may increase the **risk** of **asthma** is ...
oem.bmjournals.com/cgi/content/full/60/6/385 - [Similar pages](#)

[PDF] Lung hyperpermeability and asthma prevalence in schoolchildren ...

File Format: PDF/Adobe Acrobat

mould on the walls of the sleeping room, house with double- glazed windows, gas stove, ... hyperpermeability may increase the **risk** of **asthma** is ...
oem.bmjournals.com/cgi/reprint/60/6/385.pdf - [Similar pages](#)

[PDF] 1998;114;393-397 Chest CY Yang, MC Lin and KC Hwang Childhood ...

File Format: PDF/Adobe Acrobat

logistic regression model was used to **calculate** OR and 95% ... 32 Salvaggio J, Aukrust L. **Mold** induced **asthma**. J Allergy Clin. Immunol 1981; 68:327-46 ...
www.chestjournal.org/cgi/reprint/114/2/393.pdf - [Similar pages](#)

[PDF] Indicator: Asthma Mortality and Prevalence (081 and 082)File Format: PDF/Adobe Acrobat - [View as HTML](#)

environmental tobacco smoke, dust mites, cockroach allergen, outdoor air pollution, pets, and **mold** are. considered important triggers of an **asthma** attack ...
www.epa.gov/ncea/ROEIndicators/pdfs/ASTHMAPREVMORT_FINAL.pdf - [Similar pages](#)

[PDF] Indicator: Childhood Asthma Mortality and Prevalence (094 and 095)File Format: PDF/Adobe Acrobat - [View as HTML](#)

Environmental triggers include cockroaches, dust mites, furry pets, **mold**, tobacco smoke, ... The sampling plan follows a multistage area **probability** design ...
www.epa.gov/ncea/ROEIndicators/pdfs/CHILDHOODASTHMA_FINAL.pdf - [Similar pages](#)

Indoor Allergens:

Example of a **Risk** Assessment: Exposure to Dust Mite Allergen and Sensitization for **Asthma** STEP 1: HAZARD IDENTIFICATION When dust mites were first reported ...
books.nap.edu/openbook.php?record_id=2056&page=185 - 88k - [Cached](#) - [Similar pages](#)

[PDF] ResearchFile Format: PDF/Adobe Acrobat - [View as HTML](#)

Chlorinated Pool Attendance, Atopy, and the **Risk** of **Asthma** during Childhood ... 1.10-1.43] independently of total or specific serum IgE, the **probability** ...
www.ehponline.org/members/2006/8461/8461.pdf - [Similar pages](#)

[PDF] Effect of Obesity on Asthma Among Adult Indian Women

File Format: PDF/Adobe Acrobat

nationally representative **probability** sample of 92486 households. ... Overweight and obesity have large effects on the **risk** of **asthma** in ...
www.eastwestcenter.org/stored/pdfs/POPwp115.pdf - [Similar pages](#)

[PDF] Dampness in Buildings and Health – report from an ongoing ...File Format: PDF/Adobe Acrobat - [View as HTML](#)

types of reported moisture problems like visible **mould**, damp stains, ... Self reported dampness was a consistent **risk** factor for **asthma** and allergic ...

www.byv.kth.se/avd/byte/reykjavik/pdf/art_117.pdf - [Similar pages](#)

[RTF] [Response to Public Comments and Additional Analyses, December 2002 ...](#)

File Format: Rich Text Format - [View as HTML](#)

To **calculate** cancer rates for smaller geographic areas it is necessary to obtain ... Known

risk factors for **asthma** include exposure to allergens (**molds**, ...

www.mass.gov/Eeohhs2/docs/dph/environmental/investigations/swnas/followup_appx_b.rtf

- [Similar pages](#)

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

indoor mold risk threshold

Search

[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about 95,500 for **indoor mold risk threshold**. (0.18 seconds)**BuildingGreen.com - EBN 9:1 - Building Materials: What Makes a ...**As these energy-saving products gain market acceptance, our **threshold** for inclusion ...Duct mastic, for example, can block the entry of **mold**-laden air or ...www.buildinggreen.com/auth/article.cfm?fileName=090101a - 45k - [Cached](#) - [Similar pages](#)**IAQ News: Mold Risk Assessment & Remediation**Table 1 lists some common **indoor molds** and their associated health hazards. ... ACGIHhas not established **threshold** limit values for most bioaerosols. ...www.iuoe.org/cm/iaq_bpconc.asp?Item=526 - 28k - [Cached](#) - [Similar pages](#)**Indoor mold: measurement**As of yet, there are no EPA regulations or standards for **indoor mold** contaminants.Likewise, there are no **Threshold** Limit Values (TLVs) for **mold** ...enhs.umn.edu/hazards/hazardssite/**indoormolds/moldmeasure.html** - 11k -[Cached](#) - [Similar pages](#)**Atlantic Legal Programs**

Miller and colleagues argued that the high incidence of respiratory symptoms reported by

individuals with **indoor mold** exposure suggests that the **threshold** ...www.atlanticlegal.org/**mold-docs.php?mold=scientific2.html** - 12k - [Cached](#) - [Similar pages](#)**Indoor viable mold spores - a comparison between two cities ...**There are different **threshold** limit values of **indoor** spores from genus to genus and for total ... Dampness in buildings as a **risk** factor for health effects, ...

www.blackwell-synergy.com/links/doi/10.1034/j.1398-9995.2000.00233.x/abs/ -

[Similar pages](#)**Indoor exposure to molds and allergic sensitization - Research ...**We conclude that elevated **indoor** concentrations of **molds** in wintertime might play a role in increasing the **risk** of developing atopic symptoms and allergic ...findarticles.com/p/articles/mi_m0CYP/is_7_110/ai_91464607 - 35k - [Cached](#) - [Similar pages](#)**[PDF] Point of View The Problem of Indoor Mold for Portfolio and ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)CDC nor the EPA has announced safe **threshold** levels for airborne **mold**, nor do specificfederal ... Harry Zimmer in Toxic **Mold**: A Growing **Risk**? Excerpts of ...cbeweb-1.fullerton.edu/finance/jrepm/pdf/vol09n02/06.187_192.pdf - [Similar pages](#)**[PDF] Mold fact sheet 2-28-05.doc**File Format: PDF/Adobe Acrobat - [View as HTML](#)If you feel your or your family's health is affected by **indoor mold** or you have special health concerns that increase your **risk**, you should visit and tell ...

www.lsuagcenter.com/NR/rdonlyres/A0A6FAB4-4C1F-40DB-80E1-

52205D3E55CF/12484/**Moldfactsheet.pdf** - [Similar pages](#)**[PDF] SERVICES EMLab**File Format: PDF/Adobe Acrobat - [View as HTML](#)**Indoor** allergen analysis, especially dust mite allergen ... establishing **threshold risk** levels for dog, mouse, rat, or **mold** allergens. ...www.emlab.com/media/resources/allergens.pdf - [Similar pages](#)

Investigating, Evaluating, and Remediating Mold | "Mold ...
Mold and **Indoor** Air Regulations and Standards. Standards or **Threshold** Limit Values ...
mold and **mold** spores become airborne, then the **risk** of respiratory ...
www.epa.gov/mold/i-e-r.html - 75k - [Cached](#) - [Similar pages](#)

Result Page: 1 2 3 4 5 6 7 8 9 10 **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

indoor mold risk threshold

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

indoor mold risk assessment

Search

[Advanced Search](#)
[Preferences](#)**Web**Results 21 - 30 of about 321,000 for indoor mold risk assessment. (0.21 seconds)**Indoor Air Pollution - Links to websites containing information ...****Indoor Air - Mold** U. S. Environmental Protection Agency; Guidance for Clinicians on the ...**Risk Assessment** of Exposure to Radon in Drinking Water. ...www.sis.nlm.nih.gov/enviro/indoorairpollution.html - 42k - [Cached](#) - [Similar pages](#)**Indoor air quality - Wikipedia, the free encyclopedia****1 Risk Assessment.** 1.1 Radon; 1.2 **Molds** and other Allergens ... In a situation where there is visible **mold** and the **indoor** air quality may have been ...en.wikipedia.org/wiki/**Indoor**_air_quality - 39k - [Cached](#) - [Similar pages](#)**[PDF] Preventing Mold-Related Problems in the Indoor Workplace**File Format: PDF/Adobe Acrobat - [View as HTML](#)and scientific and technical information on **indoor mold** exposures ... "**Mold Risk Assessment & Remediation.**" Professional Safety. August 2003, pp. 20-26. ...www.osha.gov/Publications/preventing_mold.pdf - [Similar pages](#)**The Mold Matrix Innovations in Risk Assessment and Remediation**The **Mold Matrix**: Innovations in **Risk Assessment** and Remediation : Based on ... In the **indoor** environment, however, unidentified and unremediated **mold** can be ...

www.occupationalhazards.com/.../37315/The_

Mold_Matrix_Innovations_in_Risk_Assessment_and_Remediation.aspx - 68k -[Cached](#) - [Similar pages](#)**Do Indoor Molds in Nonindustrial Environments Threaten Workers ...**To assess the possible health effects of **indoor molds**, characterization of the presence and the ... Health **risk assessment** of fungi in home environments. ...epirev.oxfordjournals.org/cgi/content/full/24/2/203 - [Similar pages](#)**[PPT] EBC Seminar The IAQ/Mold Assessment – Getting it Right ...**File Format: Microsoft Powerpoint - [View as HTML](#)The **IAQ/Mold Assessment – Getting it Right!** – Controlling Your **Risk** ... Assessed **indoor** air quality to evaluate the effectiveness of the subslab system ...www.ebcne.org/fileadmin/pres/6-01-06_McCafferty.ppt - [Similar pages](#)**Addressing Toxic Mold Risks in Retail and Commercial Property ...**Practices and customs for assessing toxic **mold risk** and **indoor** air quality are ... As with other owner access to perform or verify a **mold assessment** should, ...library.findlaw.com/2003/May/29/132778.html - 38k - [Cached](#) - [Similar pages](#)**Department of Occupational & Environmental Health - SPEAKERS BUREAU**Under appropriate conditions **molds** can easily colonize **indoor** spaces in ... He has been involved in toxicology and **risk assessment** for over 30 years having ...w3.ouhsc.edu/oeh/speakers_bureau.asp - 24k - [Cached](#) - [Similar pages](#)**Mold: The Whole Picture Pt. 2, Assessment of Mold Problems**"A review of methods applicable to the **assessment** of **mold** exposure to children ...("Assessment and Remediation of Toxigenic Fungal Contamination in **Indoor** ...

palimpsest.stanford.edu/byorg/abbey/an/an23/an23-5/an23-502.html - 26k -

[Cached](#) - [Similar pages](#)

LINKS

Symposium of "**Indoor Mold** -A New Challenge for Toxicologists" was held in Kuopio, ... is a challenge for toxicological research and **risk assessment**. ...

www.uku.fi/sytyke/mouldy_buildings/satellite.htm - 22k - [Cached](#) - [Similar pages](#)

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [Next](#)

Try [Google Desktop](#): search your computer as easily as you search the web.

indoor mold risk assessment

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

Kimberly.Thornewell@gmail.com | [My Account](#) | [Sign out](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

computer assessment mold mildew risk

[Search](#)[Advanced Search](#)
[Preferences](#)**Web**Results 31 - 40 of about 70,600 for **computer assessment mold mildew risk**. (0.09 seconds)**CalPreservation.org - Generic Disaster Plan Workbook - Unit 2**

Based upon the **ASSESSMENT OF DAMAGE**, determine type and amount of supplies, ...
mold/mildew (see Fumigation) Mops Mylar Newsprint pails (see Buckets) ...
calpreservation.org/disasters/generic/unit2.html - 50k - [Cached](#) - [Similar pages](#)

Medical Mycologist for Fungal Related Investigations and Testing ...

New Jersey **Mold Mildew** Inspection report for attic and basement (by certified/licensed ...
 NJMI is YOUR BEST CHOICE if you require a **HEALTH RISK assessment**, ...
www.njmoldinspection.com/ - 83k - [Cached](#) - [Similar pages](#)

[PDF] S E GEOMET offers clients an extensive range of engineering and ...File Format: PDF/Adobe Acrobat - [View as HTML](#)

mold and mildew problems in their on-site housing facilities. ... We have performed **risk assessment** services for defense facilities, processing plants, ...
www.versar.com/pdfs/hd/Science%20&%20Engineering.pdf - [Similar pages](#)

ScienceDaily: Certain Candles May Cause Health Risk And Cleaning ...

"Sometimes we confuse these dark areas for **mildew** or **mold**, and we find these areas are very ... Asbestos: **Risk Assessment**, Epidemiology, and Health Effects ...
www.sciencedaily.com/releases/1999/12/991223010346.htm - 100k -
[Cached](#) - [Similar pages](#)

Approved Grant Listings (October 21, 2004)

To conduct a Health & Human Services needs **assessment** within The Cameron ... as well as mitigate **mold, mildew** and structural damage to various buildings. ...
www.thecameronfoundation.org/grantlistings_10_21_04.html - 36k - [Cached](#) - [Similar pages](#)

About the AIHA-APS

Recent developments in both our understanding of disease etiology and the associated **risk assessment** was presented as a series of case studies, ...
www.aihaaps.ca/aboutus/aboutus.html - 43k - [Cached](#) - [Similar pages](#)

[doc] HO Manual - IAQ draftFile Format: Microsoft Word - [View as HTML](#)

Inspect the building for signs of **mold, mildew**, water damage or excess dust on the floors, ...
 ... Health **Risk Assessment** Section. 29 Hazen Drive, P.O. Box 95 ...
www.town.rye.nh.us/flood/AirQuality2005_NT.doc - [Similar pages](#)

[PPT] www.armanebraska.com/documents/ARMA%20Nebraska%20D...File Format: Microsoft Powerpoint - [View as HTML](#)

Understand Impact of Various Disasters; Understand basic **Risk Assessment** Criteria ...
 Fire; Flood; Hurricane; Wind; Tidal Wave; Epidemic; **Mold & Mildew** ...
[Similar pages](#)

[PDF] Environmental Health Nursing Case StudiesFile Format: PDF/Adobe Acrobat - [View as HTML](#)

Are the **mold and mildew** in the school causing illness? What about the pesticides? ...
 Explain the basic concepts of **risk** and **risk assessment**. ...
envirn.umaryland.edu/Kellogg%20Curriculum/1_M5_Case_Study_2_Air_Pollution.pdf -
[Similar pages](#)

[PDF] Mold and Decay in TriState HomesFile Format: PDF/Adobe Acrobat - [View as HTML](#)

or a durability **assessment** protocol have alerted the de- signer to the potential for **mold** and ... posed the potential for **mold** and **mildew**. This assumes ...
www.fpl.fs.fed.us/documnts/pdf2000/tenwo00a.pdf - [Similar pages](#)

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [Next](#)Get organized for the new year with [Google Desktop](#).

 [Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google